

Extreme Adventure Ltd – Risk Assessment

Activity – Inflatable 5 a Side Pitch

| What are the Hazards which cause: | Who/what may be harmed? (give specific of people e.g. staff, visitors, users or contractors) | What is done now? (i.e. provision of training, corporate and local standards, codes of safe working practice, supervision, monitoring systems) | What is the rate of Risk? (Rate risk as Low, Medium or High) | What action needs to be taken? (the needs to be considered in that the risks are identified and effectively controlled) | By when? (what is the target date for completion) |
|-----------------------------------|---|---|---|--|--|
| Over enthusiastic participants | Participants | Management by Extreme Adventure Staff | Severity of Risk (S)- 1 Likelihood of Risk (L)- 2 Overall Risk (S x L)= 2 LOW | Observe safe practice at all times | Ongoing |
| Jumping onto inflatable | Participants | Management by Extreme Adventure Staff to stop this action | Severity of Risk (S)- 2 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 2 LOW | Staff to be vigilant at all times | Ongoing |
| Inflatable moving in wind | Participants/spectators | The Inflatable is securely tethered to avoid movement | Severity of Risk (S)- 5 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 5 MEDIUM | Daily checks to make sure the loose ropes are secured | Ongoing |

| What are the Hazards which cause: | Who/what may be harmed? (give specific of people e.g. staff, visitors, users or contractors) | What is done now? (i.e. provision of training, corporate and local standards, codes of safe working practice, supervision, monitoring systems) | What is the rate of Risk? (Rate risk as Low, Medium or High) | What action needs to be taken? (the needs to be considered in that the risks are identified and effectively controlled) | By when? (what is the target date for completion) |
|---|--|--|--|---|---|
| Tripping over anchorage points / spare equipment / electrical cable | Participants | All anchor points must secure and installed as per manufacturer's instructions. All cables must be covered to avoid trips etc | Severity of Risk (S)- 2 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 2 LOW | Daily checklist carried out | Ongoing |

Calculation of Risk Evaluation

Severity (S)

Severity of Risk is judged by evaluating the effects of the hazard if the risk occurs.

This is evaluated as Minor = 1, Major = 2, Serious = 3

Risk Likelihood (L)

The likelihood of the harm occurring is evaluated on the following basis:

Unlikely =1, Possible = 2, Likely = 3

Overall Risk

Overall Risk is calculated by multiplying the figure for Severity (S) x Likelihood (L). The figure calculated is related to the rate of risk as follows

1 to 3 Low, 4 to 6 Medium, 7 to 9 High

| | |
|---------------|--|
| Circulation | Management, Staff & Show or Event Organisers |
| Assessor | Mr Caldwell |
| Date Assessed | 3 rd November 2016 |
| Review Date | Every 12 months next review 3/11/2017 |