

Extreme Adventure Ltd 1.11 – Safe Work Method Statement

Activity – Land Zorbs

ACIVITY	HAZARDS	RISK CONTROL MEASURES	What is the rate of Risk? <small>(Rate risk as Low, Medium or High)</small>	WHO IS RESPONSIBLE? <small>Write the position of the person who is responsible for ownership of implementing the control measure</small>
Check the weather conditions before travelling to Event Site	<ul style="list-style-type: none"> ➤ Rain ➤ Fog ➤ Heat ➤ Frost/Ice 	<ul style="list-style-type: none"> ➤ Check weather reports for journey and event location before departure 	LOW	DRIVER
Check route directions for possible very low bridges and narrow lanes	<ul style="list-style-type: none"> ➤ Height restriction by bridge or other ➤ Narrow Lanes which it would be difficult to turn vehicle and trailer 	<ul style="list-style-type: none"> ➤ Check route by map before departing for very low bridges and narrow lanes 	LOW	DRIVER
Moving the Van and small trailer	<ul style="list-style-type: none"> ➤ Collision with other vehicles or pedestrians ➤ Driving into area with a very low height restriction or narrow lane 	<ul style="list-style-type: none"> ➤ Enter Event Area with hazard lights flashing and a speed no more than walking pace ➤ Walk by foot through the projected entrance and roadway looking for issues and obstacles on route 	LOW/MED	DRIVER
Hazards with potential Event Site whilst installing our equipment	<ul style="list-style-type: none"> ➤ High traffic area for vehicles ➤ Pedestrians wandering into work area ➤ Rough terrain ➤ Overhead branches 	<ul style="list-style-type: none"> ➤ Inspect Site before any work commences ➤ Look for possible hazards such as overhanging branches. ➤ Ensure terrain is of a suitable nature to start work on. If not then notify organisers immediately 	LOW/MED	Extreme Adventure Attraction Operator

ACTIVITY List the tasks required to perform the activity in the sequence carried out	HAZARDS Against each task list the hazards that could cause injury when the task is performed	RISK CONTROL MEASURES List the control measures required to eliminate or minimise the risk of injury arising from the identified hazard	What is the rate of Risk? (Rate risk as Low, Medium or High)	WHO IS RESPONSIBLE? Write the position of the person who is responsible for ownership of implementing the control measure
Setting up	<ul style="list-style-type: none"> ➤ Steep sloping can affect the use of the activity ➤ Sharp objects or stones can cause a risk 	<ul style="list-style-type: none"> ➤ Ensure the ground is level ➤ Ensure there are no rocks or stones on the ground 	LOW	Extreme Adventure Staff
Operating Equipment on Site	<ul style="list-style-type: none"> ➤ Users acting in a dangerous manner on the equipment ➤ Use of equipment 	<ul style="list-style-type: none"> ➤ The manufacturers instructions for use must be followed, this includes safe methods of use 	LOW/MED	Extreme Adventure Staff
Storage over night	<ul style="list-style-type: none"> ➤ Injury caused to public accessing equipment overnight 	<ul style="list-style-type: none"> ➤ De-rig kit and store safely 	MED	Extreme Adventure Staff
Circulation	Management & Staff of Extreme Adventure and Site HSE Manager			
Assessor	A Caldwell			
Date Assessed	3/11/2018			
Review Date	3/11/2019			

