

## Extreme Adventure Ltd 1.12 – Risk Assessment

### Activity- Mobile Assault Course

What are the Hazards which cause:	Who/what may be harmed? (give specific of people e.g. staff, visitors, users or contractors)	What is done now? (i.e. provision of training, corporate and local standards, codes of safe working practice, supervision, monitoring systems)	What is the rate of Risk? (Rate risk as Low, Medium or High)	What action needs to be taken? (the needs to be considered in that the risks are identified and effectively controlled)	By when? (what is the target date for completion)
Trip Hazard	Participant/Instructor	Instructors are instructed to point out trip hazards on the activity	Severity of Risk (S)-2 Likelihood of Risk (L)-2 Overall Risk (S x L)= 4  MEDIUM	All protruding anchor bolts will be made visible by using Hi Viz tape or other method	Ongoing
Spectators wandering into activity	Spectator/Other	Depending on the venue and the obstacle area may be roped off from the general public	Severity of Risk (S)-1 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 1  LOW	Use of highly visual post and barrier tape	Ongoing
Participant falling from course	Participant	Instructors give instruction and encouragement. The course is designed so Participants can gain confidence on shorter runs	Severity of Risk (S)- 2 Likelihood of Risk (L)- 2 Overall Risk (S x L)= 4  MEDIUM	Careful consideration is given to the design of each obstacle to reduce the risk of injury	Ongoing
Participant falling onto another participant whilst on the course	Participant	Only allow one participant on any obstacle at any one time or the obstacle is designed for two people to climb at the same time	Severity of Risk (S)- 3 Likelihood of Risk (L)- 1 Overall Risk (S x L)= 3  LOW	Careful control & guidance of participants whilst on course	Ongoing

Extreme Adventure Ltd Risk Assessment for Obstacle Course

Dated 03/11/2019

Document Issue 1.12

<b>What are the Hazards which cause:</b>	<b>Who/what may be harmed?</b> (give specific of people e.g. staff, visitors, users or contractors)	<b>What is done now?</b> (i.e. provision of training, corporate and local standards, codes of safe working practice, supervision, monitoring systems)	<b>What is the rate of Risk?</b> (Rate risk as Low, Medium or High)	<b>What action needs to be taken?</b> (the needs to be considered in that the risks are identified and effectively controlled)	<b>By when?</b> (what is the target date for completion)
Slip Hazard	Participant/Instructor	Instructors are instructed to point out slip hazards on the activity, some obstacles use a non-slip surface	Severity of Risk (S)-2 Likelihood of Risk (L)-2 Overall Risk (S x L)= 4  MEDIUM	All protruding anchor bolts will be made protected	Ongoing
Structures falling over or parts falling from them	Participant/Instructor	Structures are made from approved trussing using quadlite. They are assembled in line with manufacturers guidelines and then anchored to the ground	Severity of Risk (S)-2 Likelihood of Risk (L)-2 Overall Risk (S x L)= 4  MEDIUM	Staff trained in proper set up of kit	Ongoing

## Calculation of Risk Evaluation

### Severity (S)

Severity of Risk is judged by evaluating the effects of the hazard if the risk occurs.

This is evaluated as Minor = 1, Major = 2, Serious = 3

### Risk Likelihood (L)

The likelihood of the harm occurring is evaluated on the following basis:

Unlikely =1, Possible = 2, Likely = 3

### Overall Risk

Overall Risk is calculated by multiplying the figure for Severity (S) x Likelihood (L). The figure calculated is related to the rate of risk as follows

1 to 3 Low, 4 to 6 Medium, 7 to 9 High

Circulation	Management, Staff & Show or Event Organisers
Assessor	A Caldwell
Date Assessed	3 <sup>rd</sup> November 2019
Review Date	Every 12 months next review 3/11/2020